



Report No.:ZFLJ39999479  
Date:2025-07-19



# TEST REPORT

## APPLICANT DETAILS

**Applicant** : Quanzhou Nanxin Bleach Dye Co., Ltd.  
**Address** : 236 Chengzhou Road, Fengze District, Quanzhou City, Fujian Province  
**Contact Person** : LuHuiPing



## FACTORY DETAILS

**Factory Name** : Quanzhou Nanxin Bleach Dye Co., Ltd.  
**Factory Address** : 236 Chengzhou Road, Fengze District, Quanzhou City, Fujian Province  
**Contact Person** : LuHuiPing  
**Buyer** : /  
**Process Type** : Textile  
**Discharge Type** : Indirect discharge with pretreatment (with sludge)  
**Sludge Disposal Pathway** : A: Offsite Incineration at >1000°C  
**Average Wastewater Generated** :  $\geq 15 \text{ m}^3/\text{day}$

Remark: The above information were provided by applicant

总经理: [Signature] / 8

This report applies only to specific materials supplied by applicant, it is not representative or indicative of the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

**Laboratory:**  
United Testing Services (Fujian) Co., Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479  
Date:2025-07-19



## SAMPLE DETAILS

**Sample Description** : U001:Untreated wastewater(Composite sampling)  
E001:Effluent(Composite sampling)  
S001: Sludge

**Sampler ID** : ZDHC-A-24-E-C001068-R4B14-9CF38 Baily Wu

**Sampling Date** : 2025-07-08

**Sample Received Date** : 2025-07-09

**Sample Received Temperature** : 7.1°C

**Test Performing Period** : 2025-07-09~ 2025-07-19

**Test Requirement** : ZDHC Wastewater Guidelines Version 2.2

EDITED BY:

*Alice Cai*

Alice cai

APPROVED BY:



David Wu

This report applies only to specific materials supplied by applicant, it is not representative or indicative of the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

**Laboratory:**  
United Testing Services (Fujian) Co., Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



### SUMMARY OF TEST RESULTS

No.	Table 1A-1T: ZDHC MRSL Wastewater Parameters	Untreated Wastewater (U001)	--	--
T1A	Alkylphenol (AP) and Alkylphenol Ethoxylates(APEOs): Including All Isomers	N.D.	--	--
T1B	Antimicrobials and Biocides	N.D.	--	--
T1C	Chlorinated Parafins	N.D.	--	--
T1D	Chlorobenzenes and Chlorotoluenes	N.D.	--	--
T1E	Chlorophenols	N.D.	--	--
T1F	N,N-di-methylformamide (DMFa)	N.D.	--	--
T1G	Dyes – Carcinogenic or Equivalent Concern	N.D.	--	--
T1H	Dyes – Disperse (Allergenic)	N.D.	--	--
T1I	Dyes – Navy Blue Colourant	--	--	--
T1J	Flame Retardants	N.D.	--	--
T1K	Glycols / Glycol Ethers	N.D.	--	--
T1L	Halogenated Solvents	N.D.	--	--
T1M	Organotin Compounds	N.D.	--	--
T1N	Other/Miscellaneous Chemicals	N.D.	--	--
T1O	Perfluorinated and Polyfluorinated Chemicals (PFCs)	N.D.	--	--
T1P	Phthalates – Including All Other Esters of Ortho-Phthalic Acid	N.D.	--	--
T1Q	Polycyclic Aromatic Hydrocarbons (PAHs)	N.D.	--	--
T1R	Restricted Aromatic Amines (Cleavable from Azo-Colourants)	N.D.	--	--
T1S	UV Absorbers	N.D.	--	--
T1T	Volatile Organic Compounds (VOC)	N.D.	--	--

Note: N.D. = Not detected.  
D. = Detected.  
N.R. = Not requirement.  
N.A. = Not applicable.

This report applies only to specific materials supplied by applicant, It is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co., Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479  
Date:2025-07-19

### SUMMARY OF TEST RESULTS

No.	Table 2: ZDHC Heavy Metals Wastewater Parameters	Effluent (E001)		
		Foundational	Progressive	Aspirational
T2.1	Antimony	--	--	--
T2.2	Chromium (VI)	--	--	▲
T2.3	Barium	--		
T2.4	Selenium	--		
T2.5	Tin	--		
T2.6	Arsenic	--	--	▲
T2.7	Chromium, total	--	--	--
T2.8	Cobalt	--	--	--
T2.9	Cadmium	--	--	▲
T2.10	Copper	--	--	--
T2.11	Lead	--	--	▲
T2.12	Nickel	--	--	--
T2.13	Silver	--	--	--
T2.14	Zinc	--	--	--
T2-15	Mercury	--	--	▲

Note: ▲ = Meet the corresponding limit requirements.  
 N.D. = Not detected.  
 D. = Detected.  
 N.R. = Not requirement.  
 N.A. = Not applicable.

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
 United Testing Services (Fujian) Co., Ltd.  
 Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
 Tel: 0595-8366715/8366725  
 Email: customerservice@fabricschina.com.cn



### SUMMARY OF TEST RESULTS

No.	Table 3: ZDHC Conventional Parameters and Anions for Wastewater	Effluent (E001)		
		Foundational	Progressive	Aspirational
T3.1	Conventional - pH	--		
T3.2	Conventional - Temperature Difference	--	--	--
T3.3	Conventional - E.coli	--		
T3.4	Conventional - Colour (436nm; 525nm; 620nm)	--	--	--
T3.5	Conventional - Persistent Foam	--		
T3.6	Conventional - Wastewater Flowrate	--		
T3.7	Conventional - Ammonium-Nitrogen	--	--	--
T3.8	Conventional - Adsorbable Organic Halogen(AOX)	--	--	--
T3.9	Conventional - Biochemical Oxygen Demand (BOD <sub>5</sub> )	--	--	--
T3.10	Conventional - Chemical Oxygen Demand (COD)	-	--	--
T3.11	Conventional - Dissolved Oxygen (DO)	--		
T3.12	Conventional - Oil and Grease	--	--	--
T3.13	Conventional - Total Phenols / Phenol Index	--	--	--
T3.14	Conventional - Total Chlorine	--		
T3.15	Conventional - Total Dissolved Solids (TDS)	--		
T3.16	Conventional - Total Nitrogen	--	--	--
T3.17	Conventional - Total Phosphorus	--	--	--
T3.18	Conventional - Total Suspended Solids (TSS)	--	--	--
T3.19	Anions - Chloride	--		
T3.20	Anions - Cyanide, total	--	--	--
T3.21	Anions - Sulfate	--		
T3.22	Anions - Sulfide	--	--	---
T3.23	Anions - Sulfite	--	--	--

Note: ▲ = Meet the corresponding limit requirements.

N.D. = Not detected.

D. = Detected.

N.R. = Not requirement.

N.A. = Not applicable.

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.



Report No.:ZFLJ39999479

Date:2025-07-19

### SUMMARY OF TEST RESULTS

No.	Table 4A-4C: ZDHC Sludge MRSL, Metals, Conventional Parameters, Anions	Sludge (S001)	--
T4A.1	MRSL - Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	Sample and report only	--
T4A.2	MRSL - Polycyclic Aromatic Hydrocarbons (PAHs)	Sample and report only	--
T4A.3	MRSL - Chlorotoluenes	Sample and report only	--
T4B.1	Metals - Antimony	--	--
T4B.2	Metals - Arsenic	--	--
T4B.3	Metals - Barium	--	--
T4B.4	Metals - Cadmium	--	--
T4B.5	Metals - Cobalt	--	--
T4B.6	Metals - Copper	--	--
T4B.7	Metals - Lead	--	--
T4B.8	Metals - Nickel	--	--
T4B.9	Metals - Selenium	--	--
T4B.10	Metals - Silver	--	--
T4B.11	Metals - Zinc	--	--
T4B.12	Metals - Total Chromium	--	--
T4B.13	Metals - Chromium (VI)	--	--
T4B.14	Metals - Mercury	--	--
T4C.1	Conventional - pH	--	--
T4C.2	Conventional - Fecal Coliform	--	--
T4C.3	Conventional - Solids	Sample and report only	--
T4C.4	Conventional - Paint Filter Test	--	--
T4C.5	Anions - Cyanide	--	--

Note: N.D. = Not detected.  
 D. = Detected.  
 N.R. = Not requirement.  
 N.A. = Not applicable.

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.


Laboratory:  
 United Testing Services (Fujian) Co.,Ltd.  
 Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
 Tel: 0595-83667715/83667725  
 Email: customerservice@fabricschina.com.cn



SAMPLING PHOTO



Sample Collection Field Kit Packaging Photo  
(Sampling Pre-Visit)



SFD284834073475

收件人: 199\*\*\*\*621  
地址: 福建省泉州市晋江市永和镇永和村永和路100号 (申联达) (福建) 泉州市永和镇永和村永和路100号

收件人: 135\*\*\*\*5712  
地址: 福建省泉州市丰泽区津门街254号 (泉州美利华有限公司)

件名称	件重量	数量	1
样品	12.5kg	1	按重量计费
体积	0.1133m³	59cm*40cm*46cm	12.3kg
产品类型	液体样品	封装形式	密封封装

寄方费用合计 (CNY) ¥25.00


备注: 无

寄件日期: 2025-07-08 11:00:40

Sample Collection Field Kit Express Delivery Order  
(Sampling Pre-Visit)



Factory Gate  
(Sampling on Site – Pre Sampling)



Sample Collection Field Kit On-Site Unboxing Photo  
(Sampling on Site – Pre Sampling)

This report applies only to specific materials supplied by applicant, It is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co.,Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



**SAMPLING PHOTO**



**Untreated Wastewater Sampling Point (U001)  
(Sampling on Site - Sampling)**



**Untreated Wastewater Sample (U001)  
(Sampling on Site - Sampling)**



**Effluent Sampling Point (E001)  
(Sampling on Site - Sampling)**



**Effluent Sample (E001)  
(Sampling on Site - Sampling)**

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.



### SAMPLING PHOTO



**Sludge Sampling Point (S001)  
(Sampling on Site - Sampling)**



**Sludge Sample (S001)  
(Sampling on Site - Sampling)**



**Testing Instruments  
(Sampling on Site - Sampling)**




**Sampling Tools  
(Sampling on Site - Sampling)**

This report applies only to specific materials supplied by applicant, it is not representative or indicative of the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.



**SAMPLING PHOTO**



**Sampling Data and Representative Declaration Form  
(Sampling on Site – Post Sampling)**

**Sample Packing Photo  
(Sampling on Site – Post Sampling)**

**Sample Description**

NO.	Color	Material	Type	Location
U001	Black	Liquid	Untreated Wastewater	24.883749°N,118.610750°E
E001	Brown	Liquid	Effluent	24.883534°N,118.610848°E
S001	Dark brown	Solid	Sludge	24.883922°N,118.612184°E

This report applies only to specific materials supplied by applicant, it is not representative or Indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

**Laboratory:**  
United Testing Services (Fujian) Co.,Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479  
Date:2025-07-19

## TEST REQUIREMENTS AND RESULTS

Table 1A-1T: ZDHC MRSL Wastewater Parameters

### T1A: Alkylphenol (AP) and Alkylphenol Ethoxylates(APEOs): including all isomers

Test Method: Refer to ISO 18857-1:2005 for AP, ASTM D7742:17(2024)for APEO

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Nonylphenol Ethoxylates (NPEO)	Multiple including 9016-45-9 26027-38-3 37205-87-1 68412-54-4 127087-87-0	5	N.D.	--	--
2	Nonylphenol (NP), mixed isomers	Multiple including 104-40-5 11066-49-2 25154-52-3 84852-15-3	5	N.D.	--	--
3	Octylphenol Ethoxylates (OPEO)	Multiple including 9002-93-1 9036-19-5 68987-90-6	5	N.D.	--	--
4	Octylphenol (OP), mixed isomers	Multiple including 140-66-9 1806-26-4 27193-28-8	5	N.D.	--	--

### T1B: Antimicrobials and Biocides

Test Method: Refer to EPA 3550C:2007 for extraction and acetic anhydride derivatization, EPA 8270E:2018 for analysis

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	o-Phenylphenol (+salts)	90-43-7	100	N.D.	--	--
2	Triclosan	3380-34-5	100	N.D.	--	--
3	Permethrin	Multiple including 52645-53-1	500	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co.,Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479  
Date:2025-07-19

**T1C: Chlorinated Paraffins**

Test Method: Refer to ISO 18219-1:2021 & ISO18219-2:2021

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Medium-chain Chlorinated paraffins (MCCPs) (C14-C17)	85535-85-9	500	N.D.	--	--
2	Short-chain Chlorinated paraffin (SCCPs) (C10-C13)	85535-84-8	25	N.D.	--	--

**T1D: Chlorobenzenes and Chlorotoluenes**

Test Method: Refer to EPA 3550C:2007 & EPA 8270E:2018

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	1,2-dichlorobenzene	95-50-1	0.2	N.D.	--	--
2	Other isomers of mono-, di-, tri-, tetra-, penta- and hexa-Chlorobenzene and mono-, di-, tri-, tetra- and penta-chlorotoluene	Multiple including 108-90-7 541-73-1 106-46-7 87-61-6 120-82-1 108-70-3 634-66-2 634-90-2 95-94-3 608-93-5 118-74-1 95-49-8 108-41-8 106-43-4 32768-54-0 95-73-8 19398-61-9 118-69-4 95-75-0 25186-47-4 7359-72-0 2077-46-5 6639-30-1 23749-65-7 21472-86-6 1006-32-2 875-40-1 1006-31-1 877-11-2	0.2	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co.,Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479  
Date:2025-07-19

**T1E: Chlorophenols**

Test Method: Refer to EPA 3550C:2007 & EPA 8270E:2018

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	2-Chlorophenol	95-57-8	0.5	N.D.	--	--
2	2,3-Dichlorophenol	576-24-9	0.5	N.D.	--	--
3	2,3,4-Trichlorophenol	15950-66-0	0.5	N.D.	--	--
4	2,3,5-Trichlorophenol	933-78-8	0.5	N.D.	--	--
5	2,3,6-Trichlorophenol	933-75-5	0.5	N.D.	--	--
6	2,4-Dichlorophenol	120-83-2	0.5	N.D.	--	--
7	2,4,5-Trichlorophenol	95-95-4	0.5	N.D.	--	--
8	2,4,6-Trichlorophenol	88-06-2	0.5	N.D.	--	--
9	2,5-Dichlorophenol	583-78-8	0.5	N.D.	--	--
10	2,6-Dichlorophenol	87-65-0	0.5	N.D.	--	--
11	3-Chlorophenol	108-43-0	0.5	N.D.	--	--
12	3,4-Dichlorophenol	95-77-2	0.5	N.D.	--	--
13	3,4,5-Trichlorophenol	609-19-8	0.5	N.D.	--	--
14	3,5-Dichlorophenol	591-35-5	0.5	N.D.	--	--
15	4-Chlorophenol	106-48-9	0.5	N.D.	--	--
16	Pentachlorophenol (PCP)	87-86-5	0.5	N.D.	--	--
17	2,3,5,6-Tetrachlorophenol	935-95-5	0.5	N.D.	--	--
18	2,3,4,6-Tetrachlorophenol	58-90-2	0.5	N.D.	--	--
19	2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	N.D.	--	--

**T1F: N,N-di-methylformamide (DMFa)**

Test Method: Refer to EPA 3550C:2007 & EPA 8270E:2018

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	N,N-dimethylformamide (DMFa)	68-12-2	1000	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co., Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479

Date:2025-07-19

**T1G: Dyes - Carcinogenic or Equivalent Concern**

Test Method: Refer to DIN 54231:2022

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Basic violet 3 with >0.1% of Michler's Ketone	548-62-9	500	N.D.	--	--
2	C.I. Acid Red 26	3761-53-3	500	N.D.	--	--
3	C.I. Acid Violet 49	1694-09-3	500	N.D.	--	--
4	C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	N.D.	--	--
5	C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	N.D.	--	--
6	C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	N.D.	--	--
7	C.I. Basic Green 4 (malachite green)	10309-95-2	500	N.D.	--	--
8	C.I. Basic Red 9	569-61-9	500	N.D.	--	--
9	C.I. Basic Violet 14	632-99-5	500	N.D.	--	--
10	C.I. Direct Black 38	1937-37-7	500	N.D.	--	--
11	C.I. Direct Blue 6	2602-46-2	500	N.D.	--	--
12	C.I. Direct Red 28	573-58-0	500	N.D.	--	--
13	C.I. Disperse Blue 1	2475-45-8	500	N.D.	--	--
14	C.I. Disperse Blue 3	2475-46-9	500	N.D.	--	--
15	Disperse Orange 11	82-28-0	500	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co.,Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479  
Date:2025-07-19

**T1H: Dyes - Disperse (Allergenic)**

Test Method: Refer to DIN 54231:2022

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Disperse Blue 102	12222-97-8	50	N.D.	--	--
2	Disperse Blue 106	12223-01-7	50	N.D.	--	--
3	Disperse Blue 124	61951-51-7	50	N.D.	--	--
4	Disperse Blue 26	3860-63-7	50	N.D.	--	--
5	Disperse Blue 35	12222-75-2	50	N.D.	--	--
6	Disperse Blue 35	56524-77-7	50	N.D.	--	--
7	Disperse Blue 7	3179-90-6	50	N.D.	--	--
8	Disperse Brown 1	23355-64-8	50	N.D.	--	--
9	Disperse Orange 1	2581-69-3	50	N.D.	--	--
10	Disperse Orange 3	730-40-5	50	N.D.	--	--
11	Disperse Orange 37/59/76	13301-61-6	50	N.D.	--	--
12	Disperse Red 1	2872-52-8	50	N.D.	--	--
13	Disperse Red 11	2872-48-2	50	N.D.	--	--
14	Disperse Red 17	3179-89-3	50	N.D.	--	--
15	Disperse Yellow 1	119-15-3	50	N.D.	--	--
16	Disperse Yellow 3	2832-40-8	50	N.D.	--	--
17	Disperse Yellow 39	12236-29-2	50	N.D.	--	--
18	Disperse Yellow 49	54824-37-2	50	N.D.	--	--
19	Disperse Yellow 9	6373-73-5	50	N.D.	--	--

**T1J: Flame Retardants**

Test Method: Refer to ISO 11885:2007, determined as total boron, followed by ICP-OES analysis

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Boric acid	10043-35-3 11113-50-1	500	N.D.	--	--
2	Diboron trioxide	1303-86-2	500	N.D.	--	--
3	Disodium octaborate	12008-41-2	500	N.D.	--	--
4	Disodium tetraborate anhydrous	1303-96-4 1330-43-4	500	N.D.	--	--
5	Tetraboron disodium heptaoxide, hydrate	12267-73-1	500	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co.,Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Test Method: Refer to ISO 22032:2006

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Hexabromocyclododecane (HBCDD)	3194-55-6	25	N.D.	--	--
2	2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	N.D.	--	--
3	Polybromobiphenyls (PBB)	59536-65-1	25	N.D.	--	--
4	Monobromobiphenyls (MonoBB)	Multiple	25	N.D.	--	--
5	Monobromodiphenylethers (MonoBDEs)	Multiple	25	N.D.	--	--
6	Dibromobiphenyls (DiBB)	Multiple	25	N.D.	--	--
7	Dibromopropylether	21850-44-2	25	N.D.	--	--
8	Tribromodiphenylethers (TriBDEs)	Multiple	25	N.D.	--	--
9	Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	N.D.	--	--
10	Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	N.D.	--	--
11	Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	N.D.	--	--
12	Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	N.D.	--	--
13	Octabromobiphenyls (OctaBB)	Multiple	25	N.D.	--	--
14	Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	N.D.	--	--
15	Nonabromobiphenyls (NonaBB)	Multiple	25	N.D.	--	--
16	Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	N.D.	--	--
17	Decabromobiphenyl (DecaBB)	13654-09-6	25	N.D.	--	--
18	Decabromodiphenyl ether (DecaBDE)	1163-19-5	25	N.D.	--	--
19	Tetrabromobisphenol A(TBBPA)	79-94-7	25	N.D.	--	--
20	Bis(2,3-dibromopropyl) phosphate (BDBPP)	5412-25-9	25	N.D.	--	--
21	Tris-(2-chloro-1-methylethyl)phosphate (TCPP)	13674-84-5	25	N.D.	--	--
22	Tris(1-aziridinyl)-phosphine oxide (TEPA)	545-55-1	25	N.D.	--	--
23	Tris(1,3-dichloro-isopropyl)phosphate (TDCP)	13674-87-8	25	N.D.	--	--
24	Tris(2-chloroethyl) phosphate(TCEP)	115-96-8	25	N.D.	--	--
25	Tris(2,3-dibromopropyl)phosphate (TRIS)	126-72-7	25	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.



Report No.:ZFLJ39999479  
Date:2025-07-19

**T1K: Glycols / Glycol Ethers**

Test Method: EPA 3550C:2007, EPA 8270E:2018

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	2-ethoxyethanol	110-80-5	50	N.D.	--	--
2	2-ethoxyethyl acetate	111-15-9	50	N.D.	--	--
3	2-methoxyethanol	109-86-4	50	N.D.	--	--
4	2-methoxyethylacetate	110-49-6	50	N.D.	--	--
5	2-methoxypropylacetate	70657-70-4	50	N.D.	--	--
6	Bis(2-methoxyethyl)-ether	111-96-6	50	N.D.	--	--
7	Ethylene glycol dimethyl ether	110-71-4	50	N.D.	--	--
8	Triethylene glycol dimethyl ether	112-49-2	50	N.D.	--	--

**T1L: Halogenated Solvents**

Test Method: Headspace treatment, followed by EPA 8260D:2018 analysis

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	1,2-Dichloroethane	107-06-2	1	N.D.	--	--
2	Methylene Chloride	75-09-2	1	N.D.	--	--
3	Tetrachloroethylene	127-18-4	1	N.D.	--	--
4	Trichloroethylene	79-01-6	1	N.D.	--	--

**T1M: Organotin Compounds**

Test Method: Refer to ISO 17353:2004

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Dipropyltin compounds (DPT)	Multiple including 867-36-7	0.01	N.D.	--	--
2	Mono-, di- and tri-butyltin derivatives	Multiple including 1118-46-3 1461-22-9	0.01	N.D.	--	--
3	Mono-, di- and tri-methyltin derivatives	Multiple including 993-16-8 753-73-1 1066-45-1	0.01	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co., Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479

Date:2025-07-19

4	Mono-, di- and tri-octyltin derivatives	Multiple including 3091-25-6 3542-36-7 2587-76-0	0.01	N.D.	--	--
5	Mono-, di- and tri-phenyltin derivatives	Multiple including 1124-19-2 1135-99-5 639-58-7	0.01	N.D.	--	--
6	Tetrabutyltin compounds (TeBT)	Multiple including 1461-25-2	0.01	N.D.	--	--
7	Tetraethyltin Compounds (TeET)	Multiple including 597-64-8	0.01	N.D.	--	--
8	Tetraoctyltin compounds (TeOT)	Multiple including 3590-84-9	0.01	N.D.	--	--
9	Tricyclohexyltin (TCyHT)	Multiple including 3091-32-5	0.01	N.D.	--	--
10	Tripropyltin Compounds (TPT)	Multiple including 2279-76-7	0.01	N.D.	--	--

#### T1N: Other/Miscellaneous Chemicals

Test Method: Refer to EPA 3550C:2007, EPA 8321B:2007

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	AEEA [2-(2-aminoethylamino)ethanol]	111-41-1	500	N.D.	--	--
2	Bisphenol A	80-05-7	10	N.D.	--	--
3	Quinoline	91-22-5	50	N.D.	--	--
4	Thiourea	62-56-6	50	N.D.	--	--

Test Method: Refer to EPA 3052:1996, determined as total boron and total zinc, followed by ICP-OES analysis

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Borate, zinc salt	12767-90-7	100	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co.,Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479  
Date:2025-07-19

**T10: Perfluorinated and Polyfluorinated Chemicals (PFCs)**

Test Method: Refer to ISO 25101:2009, EPA 537:2020 for PFCs, EPA 8270E:2018 for FTOH

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Perfluorooctane sulfonate (PFOS) and related substances	Multiple including 1763-23-1	0.01	N.D.	--	--
2	Perfluorooctanoic acid (PFOA) and related substances	Multiple including 335-67-1	1	N.D.	--	--

**T1P: Phthalates - Including All Other Esters of Ortho-Phthalic Acid**

Test Method: Refer to ISO 18856:2004

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	1,2-benzenedicarboxylic acid, di-C6-8-branched and linear alkyl esters, C7-rich (DIHP)	71888-89-6 84777-06-0	10	N.D.	--	--
2	1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4 68515-50-4	10	N.D.	--	--
3	Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10	N.D.	--	--
4	Butyl benzyl phthalate (BBP)	85-68-7	10	N.D.	--	--
5	Di-cyclohexyl phthalate (DCHP)	84-61-7	10	N.D.	--	--
6	Di-iso-decyl phthalate (DIDP)	26761-40-0	10	N.D.	--	--
7	Di-iso-octyl phthalate (DIOP)	27554-26-3	10	N.D.	--	--
8	Di-isobutyl phthalate (DIBP)	84-69-5	10	N.D.	--	--
9	Di-isononyl phthalate (DINP)	28553-12-0	10	N.D.	--	--
10	Di-n-hexyl phthalate (DnHP)	84-75-3	10	N.D.	--	--
11	Di-n-octyl phthalate (DNOP)	117-84-0	10	N.D.	--	--
12	Di-n-pentylphthalates	131-18-0	10	N.D.	--	--
13	Di-n-propyl phthalate (DPRP)	131-16-8	10	N.D.	--	--
14	Di(ethylhexyl)phthalate(DEHP)	117-81-7	10	N.D.	--	--
15	Dibutyl phthalate (DBP)	84-74-2	10	N.D.	--	--
16	Diethyl phthalate (DEP)	84-66-2	10	N.D.	--	--
17	Diisopentylphthalates	605-50-5	10	N.D.	--	--
18	Dinonyl phthalate (DNP)	84-76-4	10	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co., Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479

Date:2025-07-19

**T1Q: Polycyclic Aromatic Hydrocarbons (PAHs)**

Test Method: Refer to DIN 38407-39:2011

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Acenaphthene	83-32-9	1	N.D.	--	--
2	Acenaphthylene	208-96-8	1	N.D.	--	--
3	Anthracene	120-12-7	1	N.D.	--	--
4	Benzo[a]anthracene	56-55-3	1	N.D.	--	--
5	Benzo[a]pyrene	50-32-8	1	N.D.	--	--
6	Benzo[b]fluoranthene	205-99-2	1	N.D.	--	--
7	Benzo[e]pyrene	192-97-2	1	N.D.	--	--
8	Benzo[ghi]perylene	191-24-2	1	N.D.	--	--
9	Benzo[j]fluoranthene	205-82-3	1	N.D.	--	--
10	Benzo[k]fluoranthene	207-08-9	1	N.D.	--	--
11	Chrysene	218-01-9	1	N.D.	--	--
12	Dibenz[a,h]anthracene	53-70-3	1	N.D.	--	--
13	Fluoranthene	206-44-0	1	N.D.	--	--
14	Fluorene	86-73-7	1	N.D.	--	--
15	Indeno[1,2,3-cd]pyrene	193-39-5	1	N.D.	--	--
16	Naphthalene	91-20-3	1	N.D.	--	--
17	Phenanthrene	85-01-8	1	N.D.	--	--
18	Pyrene	129-00-0	1	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co.,Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



**T1R: Restricted Aromatic Amines (Cleavable from Azo-colourants)**

Test Method: Refer to ISO 14362-1:2017, ISO 14362-3:2017 (4-Aminoazobenzene)

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	2-Naphthylamine	91-59-8	0.1	N.D.	--	--
2	2-Naphthylammoniumacetate	553-00-4	0.1	N.D.	--	--
3	2,4-Xylidine	95-68-1	0.1	N.D.	--	--
4	2,4,5-Trimethylaniline	137-17-7	0.1	N.D.	--	--
5	2,4,5-trimethylaniline hydrochloride	21436-97-5	0.1	N.D.	--	--
6	2,6-Xylidine	87-62-7	0.1	N.D.	--	--
7	3,3'-Dichlorobenzidine	91-94-1	0.1	N.D.	--	--
8	3,3'-Dimethoxybenzidine	119-90-4	0.1	N.D.	--	--
9	3,3'-Dimethylbenzidine	119-93-7	0.1	N.D.	--	--
10	4-Aminoazobenzene	60-09-3	0.1	N.D.	--	--
11	4-Aminodiphenyl	92-67-1	0.1	N.D.	--	--
12	4-Chloro-o-toluidine	95-69-2	0.1	N.D.	--	--
13	4-chloro-o-toluidinium chloride	3165-93-3	0.1	N.D.	--	--
14	4-Chloroaniline	106-47-8	0.1	N.D.	--	--
15	4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7	0.1	N.D.	--	--
16	4-Methoxy-m-phenylenediamine	615-05-4	0.1	N.D.	--	--
17	4-Methyl-m-phenylenediamine	95-80-7	0.1	N.D.	--	--
18	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	0.1	N.D.	--	--
19	4,4'-Methylenedi-o-toluidine	838-88-0	0.1	N.D.	--	--
20	4,4'-methylenedianiline	101-77-9	0.1	N.D.	--	--
21	4,4'-Oxydianiline	101-80-4	0.1	N.D.	--	--
22	4,4'-Thiodianiline	139-65-1	0.1	N.D.	--	--
23	5-nitro-o-toluidine	99-55-8	0.1	N.D.	--	--
24	6-methoxy-m-toluidine	120-71-8	0.1	N.D.	--	--
25	Benzidine	92-87-5	0.1	N.D.	--	--
26	o-Aminoazotoluene	97-56-3	0.1	N.D.	--	--
27	o-Anisidine	90-04-0	0.1	N.D.	--	--
28	o-Toluidine	95-53-4	0.1	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.



Report No.:ZFLJ39999479  
Date:2025-07-19

**T1S: UV Absorbers**

Test Method: EPA 3550C:2007, EPA 8270E:2018

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	100	N.D.	--	--
2	2-(2H-benzotriazol-2-yl)-4,6-ditertpentyl phenol (UV-328)	25973-55-1	100	N.D.	--	--
3	2-benzotriazol-2-yl-4,6-di-tertbutylphenol(UV-320)	3846-71-7	100	N.D.	--	--
4	2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl) phenol (UV-327)	3864-99-1	100	N.D.	--	--

**T1T: Volatile Organic Compounds (VOC)**

Test Method: Refer to ISO 11423-1:1997

No.	Test Item(s)	CAS No.	Reporting Limit (µg/L)	Result (µg/L)		
				U001	--	--
1	Benzene	71-43-2	1	N.D.	--	--
2	m-cresol	108-39-4	1	N.D.	--	--
3	o-cresol	95-48-7	1	N.D.	--	--
4	p-cresol	106-44-5	1	N.D.	--	--
5	Toluene	108-88-3	1	N.D.	--	--
6	Xylene	1330-20-7	1	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative of the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co., Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



Report No.:ZFLJ39999479  
Date:2025-07-19

**Table 2: ZDHC Heavy Metals Wastewater Parameters**

**T2: Heavy Metals**

Test method: EPA 3052:1996 & EPA 6020B:2014, EPA 218-6:1994 for CrVI

No.	Test Item	Reporting Limit (mg/L)	Limits (mg/L)			Result (mg/L)		
			Foundational	Progressive	Aspirational	E001	--	--
T2.2	Chromium (VI)	0.001	0.05	0.005	0.001	N.D.	--	--
T2.6	Arsenic	0.002	0.05	0.01	0.005	N.D.	--	--
T2.9	Cadmium	0.005	0.1	0.05	0.01	N.D.	--	--
T2.11	Lead	0.005	0.1	0.05	0.01	N.D.	--	--
T2.15	Mercury	0.001	0.01	0.005	0.001	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

**Laboratory:**  
United Testing Services (Fujian) Co.,Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn



**Table 4A-4C: ZDHC Sludge MRSL, Metals, Conventional Parameters, Anions**

**T4A.1: MRSL - Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers**

Test Method: Refer to EPA 3550C:2007, ISO 18857-1:2005 for AP, ISO 18254-1:2016 for APEO

No.	Test Item(s)	CAS No.	Reporting Limit (mg/kg-Dry weight)	Result (mg/kg-Dry weight)		
				S001	--	--
1	Nonylphenol Ethoxylates(NPEO)	Multiple including 9016-45-9 26027-38-3 37205-87-1 68412-54-4 127087-87-0	0.4	N.D.	--	--
2	Nonylphenol(NP), mixed isomers	Multiple including 104-40-5 11066-49-2 25154-52-3 84852-15-3	0.4	N.D.	--	--
3	Octylphenol Ethoxylates(OPEO)	Multiple including 9002-93-1 9036-19-5 68987-90-6	0.4	N.D.	--	--
4	Octylphenol(OP), mixed isomers	Multiple including 140-66-9 1806-26-4 27193-28-8	0.4	N.D.	--	--

**T4A.2: MRSL - Polycyclic Aromatic Hydrocarbons (PAHs)**

Test Method: Refer to EPA 3550C:2007 & EPA 3650B:1996 & EPA 8270E:2018

No.	Test Item(s)	CAS No.	Reporting Limit (mg/kg-Dry weight)	Result (mg/kg-Dry weight)		
				S001	--	--
1	Acenaphthene	83-32-9	0.2	N.D.	--	--
2	Acenaphthylene	208-96-8	0.2	N.D.	--	--
3	Anthracene	120-12-7	0.2	N.D.	--	--
4	Benzo[a]anthracene	56-55-3	0.2	N.D.	--	--
5	Benzo[a]pyrene (BaP)	50-32-8	0.2	N.D.	--	--
6	Benzo[b]fluoranthene	205-99-2	0.2	N.D.	--	--
7	Benzo[e]pyrene	192-97-2	0.2	N.D.	--	--
8	Benzo[ghi]perylene	191-24-2	0.2	N.D.	--	--

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.



Report No.:ZFLJ39999479  
Date:2025-07-19

9	Benzo[j]fluoranthene	205-82-3	0.2	N.D.	--	--
10	Benzo[k]fluoranthene	207-08-9	0.2	N.D.	--	--
11	Chrysene	218-01-9	0.2	N.D.	--	--
12	Dibenz[a,h]anthracene	53-70-3	0.2	N.D.	--	--
13	Fluoranthene	206-44-0	0.2	N.D.	--	--
14	Fluorene	86-73-7	0.2	N.D.	--	--
15	Indeno[1,2,3-cd]pyrene	193-39-5	0.2	N.D.	--	--
16	Naphthalene	91-20-3	0.2	N.D.	--	--
17	Phenanthrene	85-01-8	0.2	N.D.	--	--
18	Pyrene	129-00-0	0.2	N.D.	--	--

**T4A.3: MRSL - Chlorotoluenes**

Test Method: EPA 3550C:2007 & EPA 8270E:2018

No.	Test Item(s)	CAS No.	Reporting Limit (mg/kg-Dry weight)	Result (mg/kg-Dry weight)		
				S001	--	--
1	Chlorotoluenes	Multiple	0.2	N.D.	--	--

**T4C.3: Conventional - Solids**

Test Method: HJ 613-2011

No.	Test Item	Reporting Limit (%)	Max Limit (%)	Result (%)		
				S001	--	--
1	Solids	--	Sample and report only	63.0	--	--

...End...

This report applies only to specific materials supplied by applicant, it is not representative or indicative the qualities of apparently identical or similar materials or products quality. The laboratory does not accept a duty of care or any other responsibility to any person other than the client in respect of this report and only accepts liability to the client insofar as is expressly contained in the terms and conditions governing the laboratory provision of services to you. The laboratory conduct test works follows applicant's requirements strictly and do not accept any liability to you for any loss arising out of or in connection with this report, except in the event of our gross negligence or willful misconduct. This report cannot be reproduced, except in full, without prior written permission of the laboratory.

Laboratory:  
United Testing Services (Fujian) Co.,Ltd.  
Address: 4/F. of South D, 4/F. & 5/F. of South C, No.88, Nanyang Road, Shishi, Fujian, China  
Tel: 0595-83667715/83667725  
Email: customerservice@fabricschina.com.cn